

#### **MONTANA HIGHWAY PATROL**

**School Bus Inspection** School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	ay Patrol as soon as all defects are correc	ted.											
	actions to OPI from School Districts bus has been sold, retired, or is no longer		/ice. Ple	ease de	elete it fr	rom OPI	's records.						
_	ase make corrections noted below. Don't							ection.					
OPI County # and County Name						ct Name							
	26 Liberty						Chest	er-Joplin	-Inver	ness P	s		
Vehic	le I.D. # (VIN) - Entire Number		Мс	del Ye	ar	Licen				Capacity			
	40DL 7T500 1405400			400	_		<b>T</b>						
Chan	1CBL7T59SJ105199 sis Make			199	<b>5</b> lody Mal	110	Temp	Bus Type	: (500.2	for defini	1		
Chas	sis iviake				ody ivia	ĸe		1	•				
	Chevrolet						ıebird	$\square$ A	□В	✓ C	$\sqcup$ D		
Whee	el Chair Lift Equipped?	Whe	el Chai	r Lift Ed	quipped'	?							
□ Ye	es 🗹 No	I□F	orwar	d Fac	ina	☐ Aisl	e Facing 🔽 N	lot Applica	able				
	of Fuel:	Is B					ontractor Owned If co			ntractor's	name	is.	
• •		""	uo	Diotilo	· O · · · · · · ·	. <u>.</u> .	onitable of the	0111140101 01	,,,ou, oo,	iliaotoi c	, manno	· ·	
□G	as 🗹 Diesel 🗌 Other						RM Auto Rep	air, INC					
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
This inspection is for: ☐ 1st semester ✓ 2nd semester													
_		Ty.		roved	T <sub>0</sub>	-	T			Tv.		roved	T
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		aria			+	+
C18	Head lamps					C18	Interior lamps	iou				†	+
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					4	C22 Tools - storage				<b>↓</b>		
C18	Windshield					C24	Windows					<del> </del>	
C24	Windshield wipers					C13	Warning device						_
C20	Exterior mirrors					C12	Buzzer emergency d Emergency door	001				+	+
C4	Battery Generator or alternator					C12	Red amber signals -	rear				+	+
C11	Service door		1			C18	Turn signal lamps - r			+		+	+
C6	Head lamp indicator					C18	Stop lamps	<del>ou.</del>				+	+
C6	Horn					C18	Marker lamps - rear					1	
C20	Interior mirror					C19	Strobe light - rear ***					1	
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no	leaks)					
C21	Driver seat belt					C5	Fuel tank					<u> </u>	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	า.)			<u> </u>	
C13	Fire extinguisher (5 lbs)					000	Cleanliness					—	+
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch						_
C13	Defroster					Co		rogulation:				+	+
C6	Heaters						Required by forest Shovel (securely fast	_				+	+
C20	Wheelchair forward facing (post 1993)	1					Axe (securely fasten						+
*Page n	umber reference, Standards for School Buses in						required to wear lap/shoul	der belts - cu			driver.		
	not apply. ***New buses ordered after 08/15/02.*												
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved					Approved							
	Not Approved					Not Approved							
Inspecting Patrol Officer:							Inspecting Patrol Officer:						

Badge No.

Date

Date

Signature of District Official

TR-13 Revised 11/04



## **MONTANA HIGHWAY PATROL**

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	Highway Patrol as soon as all defects are corrected.												
	Instructions to OPI from School District:												
<ul><li>☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.</li><li>☐ Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.</li></ul>													
	County # and County Name	JIACK OU	it the er	ioi, OF	Tillay III		ct Name	ection.					
,					Chast			D					
Vehic	le I.D. # (VIN) - Entire Number		Mc	del Ye	ar	Licen		er-Joplin	Rated C				
	, ,												
Chan	1GBL7T1J3TJ102722 sis Make			199	<b>16</b> Body Mal	(O	C461	Bus Type	· (see 2 f	or defin	1 ition)		
Clias	sis iviakė			-	ouy iviai	(e			,				
	Chevrolet						ebird	$\Box$ A	B	<b>✓</b> C	∐ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	· Lift Ed	quipped?	•							
☐ Ye	es 🗹 No	☐ F	orwar	d Fac	ing	Aisl	e Facing 🛮 🗹 N	ot Applica	able				
Туре	of Fuel:	Is Bu	ıs:	Distric	ct Owned	Co	ontractor Owned If co	ontractor ow	ned, cont	tractor's	name	is:	
$\Box$ G	as ☑ Diesel ☐ Other						RM Auto Rep	air INC					
					INCDE	CTION	KW Adto Rep	an, no					
	INSPECTION  TO BE FILLED OUT BY THE HIGHWAY PATROL												
	This inspection is for: ☐ 1st semester ✓ 2nd semester												
				oved								roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front						Belt cutter **** attach		ша				
C18	Head lamps					C18	Interior lamps					1	
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage					-	
C18 C24	Windshield Windshield wipers					C24 C13	Windows Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door	301					
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator						Stop lamps						
C6	Horn						Marker lamps - rear						
C20	Interior mirror						Strobe light - rear ***						
C6 C2	Speedometer				-	C17	Identification - rear					-	
C21	Brakes Driver seat belt				-	C5	Exhaust system (no I Fuel tank	eaks)				-	1
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	n.)				1
C13	Fire extinguisher (5 lbs)						Cleanliness		,				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r						
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)	Aontono (	2002 E4	tion) *:	***Duo dri	oro oro r	Axe (securely fastene		ttor ottocho	d noorby	drivor		
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										ariver.		
On fi	st inspection, this bus is:					On re	inspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	eting Patrol Officer:					Inspec	cting Patrol Officer:						
Badge	· ·	Date				Badge				Date			
	ture of District Official					Date							
Jigila	and or product official					Jale							



## **MONTANA HIGHWAY PATROL**

**School Bus Inspection** School Year 2006

State	
District	
County	
Patrol	
Contractor	

	ay Patrol as soon as all defects are correct		11 20-10	7-101, 1	noa. Ai	i vernere	3 not approved on m3	t inspection mast be	э тошоро	cica by	uic	
Instru	Instructions to OPI from School District:											
	s bus has been sold, retired, or is no longe		rice. Pl	ease de	elete it fr	om OPI	's records.					
Ple	ase make corrections noted below. Don't	black ou	it the er	ror, OF	l may n	eed to re	ead it to make the corr	ection.				
OPI County # and County Name					Distri	ct Name						
2011						Chast	an lanka kawa					
Vehic	le I.D. # (VIN) - Entire Number		Mc	odel Ye	ar	Licen		er-Joplin-Inver	Capacity			
Verilo	ie i.b. # (viiv) - Elitile Nullibei		IVIC	Juei ie	aı	LICEII	3 <del>C</del> #	Nateu	Capacity	′		
	1HVBBABM0VH469035			199			44			47		
Chas	sis Make			E	Body Ma	ke		Bus Type: (see ?	for defin	ition)		
	Other					Δn	ntran	$\Box$ A $\Box$ B	✓ C	$\Box$ D		
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift Ed	quipped		ittuii	l				
☐ Ye	es 🗹 No		-orwar	d Eac	ina	ΠΛicl	e Facing 🗹 N	lot Applicable				
	of Fuel:								ntro otori			
		Is Bu	us	DISTIIC	Cownec	ı <b>V</b> C	ontractor Owned If co	ontractor owned, co	ntractors	s name i	S.	
$\Box$ G	as 🗹 Diesel 🗌 Other						RM Auto Rep	air, INC				
					INSPE	CTION						
		TC	BE FI	LLED (	OUT BY	THE HI	GHWAY PATROL					
	This	inspect	ion is fo	r:	1s	t semes	ster 2nd seme	ster				
		ı		roved					_	<del></del>	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*		the Standards ses in Montana	Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach					
C18	Head lamps				1	C18	Interior lamps	icu				
C10	Color					C18	Ceiling - interior					
C18	Turn signal lamps - front					C21	Seating					
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9	Aisle			<u> </u>		
C18	Marker lamps - front Windshield					C22 Tools - storage C24 Windows						
C24	Windshield wipers					C13 Warning device						
C20	Exterior mirrors					C13	Buzzer emergency d	oor		1		
C3	Battery					C12	Emergency door					
C4	Generator or alternator					C18	Red amber signals -					
C11	Service door					C18	Turn signal lamps - r	ear				
C6	Head lamp indicator				-	C18	Stop lamps					
C6 C20	Horn Interior mirror				+	C18 C19	Marker lamps - rear Strobe light - rear ***					
C6	Speedometer				1	C17	Identification - rear					
C2	Brakes					C4	Exhaust system (no	leaks)				
C21	Driver seat belt					C5	Fuel tank	,				
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)				
C13	Fire extinguisher (5 lbs)					000	Cleanliness					
C13	First aid kit				1	C22 C5	Stop arm			-		
C13	Body fluids kit  Defroster				+	CS	No trailer hitch  Required by forest	regulation:				
C6	Heaters						Shovel (securely fast					
	Wheelchair forward facing (post 1993)						Axe (securely fasten	,				
*Page ni	umber reference, Standards for School Buses in N									driver.		_=
**Does r	not apply. ***New buses ordered after 08/15/02.**	***Based	on origii	nal capa	city listed	on the m	anutacturers certification	tag found inside the bu	IS.			
On fi	st inspection, this bus is:					On re	einspection, this bus	is:				
	Approved						Approved					
	Not Approved						Not Approved					
Insped	cting Patrol Officer:					Inspecting Patrol Officer:						
Badge	• No	Date				Badge No Date						
Signa	ture of District Official					Date		•				
•												



Date

Signature of District Official

#### **MONTANA HIGHWAY PATROL**

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Chester-Joplin-Inverness PS** 26 Liberty Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity \*\*\*\*\* License # 54 XXXXXXXXXXXXX2656 2002 Bus Type: (see ? for definition) Chassis Make Body Make  $\Box$  A  $\Box$  B  $\Box$  C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No NA Page Yes No Yes Corr Corr No.\* for School Buses in Montana No.\* for School Buses in Montana Belt cutter \*\*\*\* attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear \*\*\* C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) \*Page number reference, Standards for School Buses in Montana (2002 Edition). \*\*\*\*Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. 
\*\*Does not apply. \*\*\*New buses ordered after 08/15/02.\*\*\*\*\*Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



## **MONTANA HIGHWAY PATROL**

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	ay Patrol as soon as all defects are correc	ted.											
	Instructions to OPI from School District:  This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
	ase make corrections noted below. Don't	T											
OPI County # and County Name						Distri	ct Name						
26 Liberty						Chest	er-Joplir						
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ear	Licen	se#		Rated C	Capacity	, ****		
	XXXXXXXXXXXXX1684			200	)3		108				40		
Chas	sis Make				Body Mal	е		Bus Type	e: (see ? f	or defini			
	Bluebird Bluebird □ A □ B □ C ☑ D												
Whee	Bluebird el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?		lebira						
							o Fooine	مد ۸ ممانم	ماطم				
☐ Ye			orward					ot Applic					
• •	of Fuel:	IS B	us: 🗸	Distri	ct Owned		ontractor Owned If co	ontractor ov	vnea, con	tractors	name	S:	
□G	as ☑ Diesel ☐ Other												
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	:	1s	t semes	ster 2nd seme	ster					
D	Harris Patadia tha Otandanda	1/	Appr		10	l D	I Borne Percel Se	the Oterale		1./		roved	10
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach					+	+
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating					ــــــ	
C18	Turn signal lamps - side (post 1987)					C14	Floor					Ļ	
C18	Red amber signals - front				-	C9	Aisle					Ь—	
C18	Marker lamps - front Windshield					C22 C24	Tools - storage Windows					├	_
C18	Windshield wipers	1			+	C13 Warning device				+			
C20	Exterior mirrors				+	C13	Buzzer emergency de	oor				+	+
C3	Battery					C12	Emergency door	-				<del>                                     </del>	+
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear					Ļ	
C20 C6	Interior mirror				_	C19 C17	Strobe light - rear *** Identification - rear					┼	<del> </del>
C2	Speedometer Brakes	1			+	C17	Exhaust system (no l	aake)				+-	+
C21	Driver seat belt				+	C5	Fuel tank	cans)				+	+
C7	Steering gear				1	C7	Tires (2/32" rear - 4/3	32" front mi	n.)				†
C13	Fire extinguisher (5 lbs)						Cleanliness		,				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r					—	
C6	Heaters Wheelsheir forward feeing (post 1002)						Shovel (securely fast					┼	+
*Page n	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in	Montana i	(2002 Edit	tion) '	****Bus driv	ers are r	Axe (securely fastene	,	itter attache	d nearhy	driver	Щ_	
	not apply. ***New buses ordered after 08/15/02.*										anvon.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	Inspecting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge No. Date Ba													
		Date				Badge No Date							
Signa	ture of District Official					Date							



## **MONTANA HIGHWAY PATROL**

**School Bus Inspection** School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	Highway Patrol as soon as all defects are corrected.												
Instructions to OPI from School District:													
	This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
	ase make corrections noted below. Don't b							ection.					
	County # and County Name						ct Name						
or result, walle essent, realle						Distri	ot rame						
26 Liberty						Chest	er-Joplin						
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Yea	ar	Licen	se#		Rated (	Capacity	****		
	X1GBL7T1J8P108599			199	2		173				47		
Chas	sis Make				ody Mak	<u> </u>	173	Bus Type	· (see ? f	or defini			
Cilas	ois iviane			٦	ouy Mar	.e		l · · .	•		•		
	Chevrolet						ebird	□ A [	В	✓ C	$\Box$ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift Eq	uipped?	1							
□ Ye	es 🗹 No	I⊓в	orwar	d Fac	ina	Aiel	e Facing 🔽 N	ot Applica	ahle				
	of Fuel:				t Owned		ontractor Owned If co			trootor'o	nomo		
• •		15 00	is	DISTILL	Cowned	V C	ontractor Owned in co	Jilliactor ow	neu, con	iliacioi s	Hallie	5.	
G	as ☑ Diesel ☐ Other						RM Auto Rep	air, INC					
					INSPE	CTION							
		TC	BE FIL	LED C			GHWAY PATROL						
	This inspection is for: ☐ 1st semester ✓ 2nd semester												
			Appr	oved							Арр	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		na			**	
C17	Identification - front					C34	Belt cutter **** attach	ed				<u> </u>	
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior					<b>├</b>	
C18	Turn signal lamps - front					C21	Seating					<u> </u>	1
C18	Turn signal lamps - side (post 1987)				<u> </u>	C14	Floor				ļ	—	<u> </u>
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front Windshield					C22 C24	Tools - storage Windows					+	
C24	Windshield wipers				1	C13	Warning device				<del> </del>	─	1
C20	Exterior mirrors					C13	Buzzer emergency de	oor				-	
C3	Battery					C12	Emergency door	001				+	
C4	Generator or alternator				1	C18	Red amber signals -	rear			1	+	1
C11	Service door					C18	Turn signal lamps - re					+	
C6	Head lamp indicator					C18	Stop lamps					†	
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	ı.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch					<b>↓</b>	
C11	Defroster						Required by forest i					<b>↓</b>	
C6	Heaters						Shovel (securely fast			1		—	<u> </u>
C20	Wheelchair forward facing (post 1993)	t '	2002 - "	tion\ ++	**D::- ''		Axe (securely fastene	,	40×544. 1	  '	aluli:	<u> </u>	<u> </u>
	umber reference, Standards for School Buses in M not apply. ***New buses ordered after 08/15/02.***										arıver.		
On fi	rst inspection, this bus is:					On reinspection, this bus is:							
	Approved					Approved							
H	Not Approved						Not Approved						
Inspe	cting Patrol Officer:	Inspecting Patrol Officer:											
-													

On first inspection, this bus is:		On reinspection, this bu	IS IS:			
Approved		Approved				
Not Approved		Not Approved				
Inspecting Patrol Officer:		Inspecting Patrol Officer:				
D. L. M.	<b>D</b> .4.	D. L. N.	P.O.			
Badge No.	Date	Badge No.	Date			
Signature of District Official		Date				



Gas

✓ Diesel

Other

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

#### MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 26 Liberty Chester-Joplin-Inverness PS Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity \*\*\*\*\* License # 1BABHCKH55F227611 2005 33 Bus Type: (see ? for definition) Chassis Make Body Make ПА  $\square$  B  $\Box$  C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is:

# INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL

This inspection is for: ☐ 1st semester ✓ 2nd semester

Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.\* for School Buses in Montana No.\* for School Buses in Montana Belt cutter \*\*\*\* attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C18 C6 Marker lamps - rear Horn C20 C19 Strobe light - rear \*\*\* Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm C13 Body fluids kit C5 No trailer hitch Defroster C11 Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

\*Page number reference, Standards for School Buses in Montana (2002 Edition). \*\*\*\*Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. 
\*\*Does not apply. \*\*\*New buses ordered after 08/15/02.\*\*\*\*\*Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:				
Approved		Approved				
Not Approved		Not Approved				
Inspecting Patrol Officer:		Inspecting Patrol Officer:				
Badge No.	Date	Badge No.	Date			
Baage No.	Date	Badge No.	Date			
Signature of District Official		Date				



## **MONTANA HIGHWAY PATROL**

**School Bus Inspection** School Year 2006

State	
District	
County	
Patrol	
Contractor	

	ay Patrol as soon as all defects are correct		11 20-10-	101, 1	ACA. AII	vernole	s not approved on his	i inspection in	iust be reirispe	ecied by	uie			
Instructions to OPI from School District:														
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.														
☐ Ple	Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
OPI County # and County Name							District Name							
	26 Liborty						Chast	or- lanlin-l	nvornoss l	90				
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ar	Licen			<b>nverness l</b> Rated Capacit					
VOITIO	is i.s. " (VIIV) Entire IVallisel		IVIO	uo: 10	a.	Liocii		'	tatoa Oapaon	y				
	XXXXXXXXXXXXX4341			199			101			48				
Chas	sis Make			B	Body Mal	ке		Bus Type: (	see ? for defir	nition)				
	Bluebird					Blu	ebird	$\Box$ A $\Box$	В □С	<b>✓</b> D				
Whee	I Chair Lift Equipped?	Whe	el Chair	Lift Ed	quipped?									
□ Ye	es 🗹 No	$  \Box \Box$	orward	d Fac	ina	Δiel	e Facing <b>☑</b> N	ot Applicab	مام					
	of Fuel:						ontractor Owned If co			c nama	ic:			
		19 00	us. 🔻	טואוווכ	t Owner	c	ontractor Owned in co	Jilliacioi Owile	su, contractor	S Hallie	15.			
$\Box$ G	as 🗹 Diesel 🗌 Other													
					INSPE	CTION								
		TC	BE FIL	LED (	OUT BY	THE HI	GHWAY PATROL							
	This	inspect	ion is fo	r:	1s	t semes	ster 🗹 2nd seme	ster						
			Appr		1-				1.,		roved	1-		
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			No	NA **	Corr		
C17	Identification - front					C34	Belt cutter **** attach		^					
C18	Head lamps					C18	Interior lamps							
C10	Color					C18	Ceiling - interior							
C18	Turn signal lamps - front					C21	Seating							
C18	Turn signal lamps - side (post 1987)					C14	Floor							
C18	Red amber signals - front						C9 Aisle				-			
C18	Marker lamps - front Windshield				-	C22 C24	Tools - storage Windows							
C24	Windshield wipers					C13	Warning device							
C20	Exterior mirrors					C13	Buzzer emergency de	oor		1				
C3	Battery					C12	Emergency door							
C4	Generator or alternator					C18	Red amber signals -							
C11	Service door					C18	Turn signal lamps - re	ear						
C6	Head lamp indicator				<del> </del>	C18	Stop lamps					-		
C6 C20	Horn Interior mirror				+	C18 C19	Marker lamps - rear Strobe light - rear ***					+		
C6	Speedometer				+	C17	Identification - rear							
C2	Brakes				1	C4	Exhaust system (no l	eaks)						
C21	Driver seat belt					C5	Fuel tank	•						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)				1		
C13	Fire extinguisher (5 lbs)				-	000	Cleanliness							
C13	First aid kit Body fluids kit				+	C22 C5	Stop arm No trailer hitch							
C11	Defroster Defroster					0.5	Required by forest i	egulation.						
C6	Heaters						Shovel (securely fast	_		1				
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene							
	ımber reference, Standards for School Buses in N									y driver.				
Does r	ot apply. ***New buses ordered after 08/15/02.**	Based	on origin	аі сара	city listed	on the m	anuracturers certification	ay round inside	ine dus.					
	st inspection, this bus is:						einspection, this bus	is:						
	Approved						Approved							
	Not Approved						Not Approved							
Insped	ting Patrol Officer:					Inspe	cting Patrol Officer:							
Badge	No	Date				Badge	e No		Date					
Signa	ure of District Official					Date								



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

#### MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Chester-Joplin-Inverness PS** 26 Liberty Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity \*\*\*\*\* License # **1BAAGCSH4XF084085** 1999 **TEMP** Bus Type: (see ? for definition) Chassis Make Body Make  $\Box$  A  $\Box$  B  $\Box$  C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other RM Auto Repair, INC INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.\* for School Buses in Montana No.\* for School Buses in Montana Belt cutter \*\*\*\* attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear \*\*\* C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.

\*Page number reference, Standards for School Buses in Montana (2002 Edition). \*\*\*\*Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. 
\*\*Does not apply. \*\*\*New buses ordered after 08/15/02.\*\*\*\*\*Based on original capacity listed on the manufacturers certification tag found inside the bus.

Signature of District Official

Date



## **MONTANA HIGHWAY PATROL**

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	ay Patrol as soon as all defects are correc	ted.											
Instructions to OPI from School District:													
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
OPI County # and County Name					Distri	ct Name							
	26 Liberty						Chast	or lanlin	lnvorn	occ D	c		
Vohio	le I.D. # (VIN) - Entire Number		Mo	del Ye	or	Licen		er-Joplin	Rated 0	Capacity	<b>3</b>		
Verilo	ie i.D. # (VIIV) - Littlie Number		IVIC	uei ie	aı	Licen	5 <del>C</del> #		Nateu	Japacity			
	1GDJ6PIG6KV504576			198	19		171				53		
Chas	sis Make			Е	Body Mal	ке		Bus Type	: (see ? f	or defini	tion)		
	GMC					١٨	/ard	□ A [	□ B [	<b>✓</b> C	$\Box$ D		
Whee	l Chair Lift Equipped?	Whe	el Chair	r Lift F	quipped?		raiu						
							- · -						
☐ Ye			orwar					ot Applica					
Type	of Fuel:	Is B	us:	Distri	ct Owned	✓ C	ontractor Owned If co	ontractor ow	ned, con	tractor's	name	IS:	
□G	as ☑ Diesel ☐ Other						RM Auto Rep	air INC					
					INIODE	OTION	Kill Auto Kep	an, no					
		т	) BE FII	LED	_	CTION	GHWAY PATROL						
	This	inspect				t semes		ster					
		порос		roved		. 0011100	2.10 001110	0.01			qqA	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standar	ds	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		na			**	
C17	Identification - front					C34	Belt cutter **** attach	ed				Ļ	
C18	Head lamps					C18	Interior lamps					┼	
C10	Color					C18 C21	Ceiling - interior					<del>                                     </del>	
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)	1				C21	Seating Floor					+	
C18	Red amber signals - front					C9	Aisle					+	
C18	Marker lamps - front					C22	Tools - storage					†	
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door					—	
C4	Generator or alternator					C18	Red amber signals -					┼	
C11 C6	Service door Head lamp indicator					C18	Turn signal lamps - re Stop lamps	ear				+	
C6	Horn					C18	Marker lamps - rear					+	
C20	Interior mirror					C19	Strobe light - rear ***					+	
C6	Speedometer					C17	Identification - rear					1	
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank					↓	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min	1.)			<b>├</b>	
C13	Fire extinguisher (5 lbs) First aid kit					C22	Cleanliness Stop arm					+	
C13	Body fluids kit					C5	No trailer hitch					+	
C11	Defroster					00	Required by forest r	egulation:				_	
C6	Heaters						Shovel (securely fast	_					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene					1	
	umber reference, Standards for School Buses in I										driver.		
"^Does r	not apply. ***New buses ordered after 08/15/02.*	Based	on origin	nai capa	icity listed				de the bus				
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Insped	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No.	Date				Badge No. Date							
Signa	ture of District Official	_				Date				_		-	
J													



## **MONTANA HIGHWAY PATROL**

**School Bus Inspection** School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
<ul> <li>☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.</li> <li>☐ Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.</li> </ul>													
	County # and County Name	JIACK OU	t the en	or, Or	Tillay III		ct Name	ection.					
	,						Ch a a t	!!:					
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ar	Licen		er-Joplin I	Rated C				
VOINO	, ,		1010			Liouri			ratea	Japaon			
Chas	1GBJ6PIF5KV113225			198			172	Puo Tyro	·· (200 2 f	or dofin	53		
Chas	sis Make				Body Mal	ке		Bus Type	•				
	Chevrolet						ard ard	□ A [	В	<b>✓</b> C	∐ D		
Wheel Chair Lift Equipped?  Wheel Chair Lift Equipped?													
☐ Ye	es 🗹 No		orward	d Fac	cing	☐ Aisl	e Facing 🛮 🗹 N	ot Applica	able				
Туре	of Fuel:	Is Bu	JS:	Distric	ct Owned	Co	ontractor Owned If co	ontractor ow	ned, con	tractor's	name	is:	
$\Box$ G	as ☑ Diesel ☐ Other						RM Auto Rep	air INC					
					INCDE	CTION	Killi Adto Nep	an, no					
	INSPECTION  TO BE FILLED OUT BY THE HIGHWAY PATROL												
	This	inspecti	on is for	:	1s	t semes	ter 2nd semes	ster					
			Appr									roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		ina				
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield Windshield wipers					C24	Windows					-	
C24 C20	Exterior mirrors					C13	Warning device Buzzer emergency de	oor			1		
C3	Battery					C12	Emergency door	301					
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re						
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn						Marker lamps - rear						
C20	Interior mirror						Strobe light - rear ***						
C6	Speedometer						Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank	O" front mir	- \			<u> </u>	
C7 C13	Steering gear Fire extinguisher (5 lbs)					C7	Tires (2/32" rear - 4/3 Cleanliness	2 HONLINII	1.)			-	1
C13	First aid kit					C22	Stop arm			<u> </u>	1	<del> </del>	+
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	est inspection, this bus is:					On re	inspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
	cting Patrol Officer:						cting Patrol Officer:						
Badge	· ·	Date				Badge				Date			
	<u> </u>	Date				Date				Date _			
Signa	gnature of District Official Date												



Signature of District Official

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

#### **MONTANA HIGHWAY PATROL**

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Chester-Joplin-Inverness PS** 26 Liberty Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity \*\*\*\*\* License # 1GBL7T1J1TJ111564 1997 175 Bus Type: (see ? for definition) Chassis Make Body Make  $\Box$  A  $\Box$  B ✓ C Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other RM Auto Repair, INC INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.\* for School Buses in Montana No.\* for School Buses in Montana Belt cutter \*\*\*\* attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear \*\*\* C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) \*Page number reference, Standards for School Buses in Montana (2002 Edition). \*\*\*\*Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. 
\*\*Does not apply. \*\*\*New buses ordered after 08/15/02.\*\*\*\*\*Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



#### **MONTANA HIGHWAY PATROL**

**School Bus Inspection** School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected

riigiiw	ay Fallol as soon as all delects are correc	.cu.											
	actions to OPI from School District: s bus has been sold, retired, or is no longe		rice. Ple	ase de	elete it fr	om OPI	's records.						
☐ Ple	Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.												
OPI County # and County Name						Distri	ct Name						
	26 Liberty						Chest	er-Joplin-	Invern	ess P	S		
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ar	Licen			Rated C				
	1GBHG35K6TF100863			199	6		176				16		
Chas	sis Make				Body Mal	ке		Bus Type:	(see?f	or defini			
	Chevrolet				,		ther	<b>✓</b> A □	] <b>B</b> [	□с	□ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift Ed	quipped?								
□ Y			orwar				e Facing <b>☑</b> N	ot Applical	ble				
	of Fuel:	Is B					ontractor Owned If co			tractor's	name i	s:	
✓ G						-			,				
<u> </u>	as 🗆 Diesei 🗀 Otiliei						RM Auto Rep	air, INC					
		T	SE EII	LED		CTION	GHWAY PATROL						
	Thio		ion is fo			t semes		otor					
	Triis	inspeci			18	t semes	ster 💌 Zna seme	ster			Ann	roved	
Page	Items listed in the Standards	Yes	Appr No	NA	Corr	Page	Items listed in	the Standard	le	Yes	No	NA	Corr
No.*	for School Buses in Montana	165	INO	**	COIT	No.*	for School Bus			165	INO	**	Con
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device					<b>↓</b>	
C20	Exterior mirrors					C13	Buzzer emergency de	oor				<b>↓</b>	_
C3	Battery					C12	Emergency door						_
C4	Generator or alternator					C18	Red amber signals -					<b>├</b>	+
C11	Service door				1	C18	Turn signal lamps - re	ear					-
C6 C6	Head lamp indicator Horn				-	C18	Stop lamps					<del>                                     </del>	-
C20	Interior mirror	1			<del> </del>	C19	Marker lamps - rear Strobe light - rear ***					─	+
C6	Speedometer				1	C17	Identification - rear					+	+
C2	Brakes				+	C4	Exhaust system (no l	eaks)				+	+
C21	Driver seat belt				1	C5	Fuel tank	caroj					1
C7	Steering gear				+	C7	Tires (2/32" rear - 4/3	2" front min.	)			+	†
C13	Fire extinguisher (5 lbs)				1		Cleanliness		/			†	1
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						1
C11	Defroster						Required by forest r	egulation:					1
C6	Heaters						Shovel (securely fast	ened)					Ī
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						
*Page n **Does r	umber reference, Standards for School Buses in l not apply. ***New buses ordered after 08/15/02.**	Montana ( ***Based	(2002 Edi I on origin	tion). *' al capa	***Bus dri	vers are i	required to wear lap/should anufacturers certification to	der belts - cutte ag found inside	er attache e the bus	d nearby	driver.		
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved					ΙĦ	Not Approved						
	cting Patrol Officer:					Inspecting Patrol Officer:							
	mopoung radoromoer.												

Signature of District Official Date TR-13 Revised 11/04

Badge No.

Date



## **MONTANA HIGHWAY PATROL**

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
	s bus has been sold, retired, or is no longe												
Ple	ase make corrections noted below. Don't	black ou	ut the err	or, O	PI may ne	eed to re	ead it to make the corre	ection.					
OPI County # and County Name					District Name								
26 Liberty					Chester-Joplin-Inverness PS								
Vehicle I.D. # (VIN) - Entire Number Model Year					License # Rated Capacity *****								
Vehicle i.b. # (VIIV) Entire (VIIII)							Nation Supposity						
1GDHG31K7RF505247				1994			460		16				
Chassis Make			Body Make		ке	Bus Type		e: (see ? for definition)					
Other							GMC  ✓ A		$\square$ B $\square$ C $\square$ D				
Wheel Chair Lift Equipped?  Wheel Chair Lift Equipped				quipped?									
☐ Ye	es 🗹 No	I □ ₽	- - - - - -	d Fa	cina	Δiel	e Facing V N	ot Applica	ahle				
			Forward Facing				☐ Aisle Facing						
				וואוט	ct Owned 🗹 Contractor Owned If contractor owned, contractor's name is:								
<b>✓</b> G	as $\square$ Diesel $\square$ Other						RM Auto Rep	air, INC					
					INSPE	CTION							
		TO	BE FIL	LED	OUT BY	THE HI	GHWAY PATROL						
This inspection is for: ☐ 1st semester ✓ 2nd semester													
_		I	Appr		T.					T		roved	1
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach	for School Buses in Montana				┼─	
C18	Head lamps				+	C18	Interior lamps	eu				+	
C10	Color					C18	Ceiling - interior	<u> </u>				1	
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device				<b>└</b>		
C20	Exterior mirrors	<u> </u>				C13	Buzzer emergency do		<u> </u>		—		
C3 C4	Battery Generator or alternator	<u> </u>				C12 C18	Emergency door Red amber signals -				┼	1	
C11	Service door					C18	Turn signal lamps - re				+		
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear					1	
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no leaks)						
C21	Driver seat belt					C5	Fuel tank					—	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mir	າ.)			<del> </del>	1
C13	Fire extinguisher (5 lbs)					COO	Cleanliness						
C13	First aid kit Body fluids kit	<u> </u>				C22 C5	No trailer hitch	Stop arm				┼	1
C11	Defroster					00	Required by forest r				+		
C6	Heaters	1					Shovel (securely fastened)						
C20	Wheelchair forward facing (post 1993)					Axe (securely fastened)							
	umber reference, Standards for School Buses in I										driver.		
**Does r	ot apply. ***New buses ordered after 08/15/02.**	****Based	on origin	al cap	acity listed	on the m	anutacturers certification t	ag tound insi	ae the bus.	·			
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
Not Approved					Not Approved								
Inspecting Patrol Officer:					Inspecting Patrol Officer:								
Badge No Date					Badge No Date								
Signature of District Official					Date								
Signature of District Official Date													